DDH/Dancoo Dawn Classical H / Tech features

1 A-class soundproofing

Offering guaranteed privacy with an industry-leading 31dB Class A speech level reduction and one of the highest ISO 23351-1 ratings in the industry for office pods.

2 Intuitive U

The high-resolution touchscreen simplifies the setup and adjustment of the ventilation and lighting systems within the soundproof pod, while also enabling you to schedule pod time from anywhere in the world. making comfortable ventilation and lighting easily at your fingertips.

3 Optimized Lighting

The dual adjustable 4000K LED light sources enable smooth transitions between video and work modes, while also permitting manual adjustments for personalized lighting preferences.

Ceiling Light: Ultra-thin, light-emitting range reaches 280mmX280mm, Color temperature 4000 K, CRI > 90, 1700lm, desktop illuminance up to 500lux.

Video Light: Color temperature 4000 K, CRI > 90, 1000lm, face illuminance up to 400lux. Supports preset and manual adjustment of lighting modes via touchscreen.

4 Adjustable Ventilation

The adjustable dual fan featured with damping bracket ventilation system can achieve a maximum airflow exceeding 26 l/s, surpassing the global industry standards for office space ventilation.

DEFAULT AIRFLOW preset up to 47 l/s, 100CFM (170 m³/h), and the airflow can be easily adjusted on the touchscreen. After use, the soundproof pod can ventilate itself in a preset manner.

DDH/Dancoo Dawn Classical H/ Interior Materials

Interior Pet Panels: The interior panels are made of high-quality polyester fiber, with a blend of at least three colors that create a visually harmonious effect that blends seamlessly into any office environment. Its fire resistance performance meets the requirements of B-s1, d0 according to the fire classification

standard for building products and construction components BS EN13501-1:2018.

Carpet: The carpet surface is made of nylon filament, featuring permanent antistatic properties, stain resistance, and flame retardancy. Its PE latex backing ensures comfortable walking experience, dimensional stability, and environmental protection.

Table: The tabletop is made of HPL-finished birch plywood that meets FSC requirements, and its steel support structure is fully enclosed in PET felt, seamlessly blending with the wall.

DDH/Dancoo Dawn Classical H /Exterior Material and Structure

Exterior: Powder-coated matte steel.

Frames: Structural framework made of solid birch plywood that meets FSC requirements.

Door And Glass: Frameless full-glass door and sound-control laminated glass with built-in sound-insulating

Lock and hinges: Lock has been certified by the EN12209 standard and has passed a 200,000-cycle test of handle movement. The lock body, handle and hinges are available in three colors: natural anodized, black, and white powder coating.

DDH/Dancoo Dawn Classical H/ Power

Power Consumption: Default settings 28W. The highest setting 37W. Standby mode 6W.

Input: 100-240 VAC, 10 A, 50-60 Hz

Output AC (Power Outlet): 100-240VAC, 6.6A, 50-60 Hz

Output USB-C Charge Port: 25W

Power: OUTLETS 1 × power outlet, Type C Data extension, (Type A +Type C) charge port (Total 25W)

DDH/ Dancoo Dawn Classical H / Optional Functionalities

Movability Kit

Allows you to easily relocate your pod without disassembly, This kit includes 4 castors to make it easier to move the pod.

Occupancy Indication

Lights on the exterior of the pod let you see from a distance whether the pod is free.



DDH

Dancoo Dawn Classical H



MEASUREMENTS

Exterior:

220×120×99 cm (h, w, d)

Interior:

200×100×93 cm (h, w, d)

Doorway:

200× 100 cm (h, w)

Operating Space

240×120×204cm (h, w, d).

WEIGHT

DDL/Dancoo Dawn Classical L / Tech features

1 A-class soundproofing

Offering guaranteed privacy with an industry-leading 31dB Class A speech level reduction and one of the highest ISO 23351-1 ratings in the industry for office pods.

2 Intuitive UI

The high-resolution touchscreen simplifies the setup and adjustment of the ventilation and lighting systems within the soundproof pod, while also enabling you to schedule pod time from anywhere in the world. making comfortable ventilation and lighting easily at your fingertips.

3 Optimized Lighting

The dual adjustable 4000K LED light sources enable smooth transitions between video and work modes, while also permitting manual adjustments for personalized lighting preferences.

Ceiling Light Ultra-thin, light-emitting range reaches 280mmX280mm, Color temperature 4000 K, CRI > 90, 1700lm, desktop illuminance up to 500lux.

Video Light: Color temperature 4000 K, CRI > 90, 1000lm, face illuminance up to 400lux. Supports preset and manual adjustment of lighting modes via touchscreen.

4 Adjustable Ventilation

The adjustable dual fan featured with damping bracket ventilation system can achieve a maximum airflow exceeding 26 l/s, surpassing the global industry standards for office space ventilation.

DEFAULT AIRFLOW preset up to 47 l/s, 100CFM (170 m³/h), and the airflow can be easily adjusted on the touchscreen. After use, the soundproof pod can ventilate itself in a preset manner.

DDL/Dancoo Dawn Classical L/ Interior Materials

Interior Pet Panels: The interior panels are made of high-quality polyester fiber, with a blend of at least three colors that create a visually harmonious effect that blends seamlessly into any office environment. Its fire resistance performance meets the requirements of B-s1, d0 according to the fire classification

standard for building products and construction components BS EN13501-1:2018.

Carpet: The carpet surface is made of nylon filament, featuring permanent antistatic properties, stain resistance, and flame retardancy. Its PE latex backing ensures comfortable walking experience, dimensional stability, and environmental protection.

Table: The tabletop is made of HPL-finished birch plywood that meets FSC requirements, and its steel support structure is fully enclosed in PET felt, seamlessly blending with the wall.

Sofa Upholstery: Sofas are available in a variety of fabrics, featuring polyester fiber double-structured fabric, which is characterized by a combination of full-color palette and black-grey tones, achieved through a blended and interlaced weaving method. This results in an even distribution of texture, material, and color, as well as a lustrous and gentle sheen. Additionally, the fabric boasts strong color fastness and exceptional abrasion resistance, enduring over 50,000 rotations of wear testing, ensuring a long service life.

DDL/Dancoo Dawn Classical L /Exterior Material and Structure

Exterior: Powder-coated matte steel.

Frames: Structural framework made of solid birch plywood that meets FSC requirements.

Door And Glass: Frameless full-glass door and sound-control laminated glass with built-in sound-insulating interlayer film.

Lock And Hinges: Lock has been certified by the EN12209 standard and has passed a 200,000-cycle test of handle movement. The lock body, handle and hinges are available in three colors: natural anodized, black, and white powder coating.

DDL/Dancoo Dawn Classical L/ Power

Power Consumption: Default settings 28W. The highest setting 37W. Standby mode 6W.

Input: 100-240 VAC, 10 A, 50-60 Hz

Output AV (Power Outlet): 100-240VAC, 6.6A, 50-60 Hz

Output USB-C Charge Port: 25W

Power: OUTLETS 1 × power outlet, Type C Data extension, (Type A +Type C) charge port (Total 25W)

DDL/ Dancoo Dawn Classical L / Optional Functionalities

Movability Kit

Allows you to easily relocate your pod without disassembly, This kit includes 4 castors to make it easier to move the pod.

Occupancy Indication

Lights on the exterior of the pod let you see from a distance whether the pod is free.



DDL

Dancoo Dawn Classical L



MEASUREMENTS

Exterior:

220×120×99 cm (h, w, d)

Interior:

200×100×93 cm (h, w, d)

Doorway:

200×100 cm (h, w)

Operating Space

240×120×204cm (h, w, d)

WEIGHT

DDP/Dancoo Dawn Premium / Tech features

1 A-class soundproofing

Offering guaranteed privacy with an industry-leading 31dB Class A speech level reduction and one of the highest ISO 23351-1 ratings in the industry for office pods.

2 Intuitive UI

The high-resolution touchscreen simplifies the setup and adjustment of the ventilation and lighting systems within the soundproof pod, while also enabling you to schedule pod time from anywhere in the world. making comfortable ventilation and lighting easily at your fingertips.

3 Optimized Lighting

The dual adjustable 4000K LED light sources enable smooth transitions between video and work modes, while also permitting manual adjustments for personalized lighting preferences.

Oversized Ceiling Light : Crystal-clear comfortable, light-emitting range reaches 408mmX-408mm, Color temperature 4000 K, CRI > 90, 3400lm, desktop illuminance over 500lux.

Video Light : Color temperature 4000 K, CRI > 90, 1000lm, face illuminance up to 400lux. Supports preset and manual adjustment of lighting modes via touchscreen.

4 Adjustable Ventilation

The adjustable dual fan featured with damping bracket ventilation system can achieve a maximum airflow exceeding 26 l/s, surpassing the global industry standards for office space ventilation.

DEFAULT AIRFLOW preset up to 47 l/s, 100CFM (170 m³/h), and the airflow can be easily adjusted on the touchscreen. After use, the soundproof pod can ventilate itself in a preset manner.

5 Height-adjustable table equipped with a safety mechanism

A premium height-adjustable table, equipped with a safety mechanism which can ensure that when the table is tilted due to external force during the lifting process, a signal will be transmitted to the control center to stop the lifting mechanism to ensure the safety of the users.

6. Height-adjustable seat

A height-adjustable seat with dual comfortable footrests and a pure natural wool seat surface crafted from pure natural wool fabric. The seat cushion is filled with a custom-shaped sponge.

7 Occupancy Indication

Lights on the exterior of the pod let you see from a distance whether the pod is free.

DDP/Dancoo Dawn Premium / Interior Materials

Interior Pet Panels: The interior panels are made of high-quality polyester fiber, with a blend of at least three colors that create a visually harmonious effect that blends seamlessly into any office environment. Its fire resistance performance meets the requirements of B-s1, d0 according to the fire classification standard for building products and construction components BS EN13501-1:2018.

Carpet: The carpet surface is made of nylon filament, featuring permanent antistatic properties, stain resistance, and flame retardancy. Its PE latex backing ensures comfortable walking experience, dimensional stability, and environmental protection.

Table: The tabletop is made of HPL-finished birch plywood that meets FSC requirements, and its steel support structure is fully enclosed in PET felt, seamlessly blending with the wall.

Seat Materials: The full wool fabric is soft, smooth, and comfortable to touch, offering a great sitting experience, The cushion is made of shaped sponge, which boasts excellent elasticity and cushioning performance. It can adapt to the user's body curves, providing personalized support and comfort, and reducing fatigue caused by prolonged use.

DDP/Dancoo Dawn Premium / Exterior Materials & Structure

Exterior: Powder-coated matte steel

Frames: Structural framework made of solid birch plywood that meets FSC requirements. **Glass:** Sound-control laminated glass with built-in sound-insulating interlayer film.

Doorframe And Handle: HPL-veneered birch plywood structure **Hinges And Lock**: SIMONSWERK hinges and magnetic lock

DDP/Dancoo Dawn Premium / Power and Data Transmission

Power Consumption: Default settings 28W. The highest setting 37W. Standby mode 6W.

Input: 100-240 VAC, 10 A, 50-60 Hz

Output AC (Power Outlets): 100-240VAC, 6.6A, 50-60 Hz

Output USB-C Charge Port: 45W

Power And Data Transmission: Outlets 1 × power outlet, 1x Type A +2 × Type C charge port (Total 45W),

1XLAN port (with cable)



DDP

Dancoo Dawn Premium



MEASUREMENTS

Exterior:

220×120×99 cm (h, w, d)

Interior:

200×100×93 cm (h, w, d)

Doorway:

200×100 cm (h, w)

Operating space:

240×120×204cm (h, w, d).

WEIGHT:

DDS/Dancoo Dawn Standard / Tech features

1 A-class soundproofing

Offering guaranteed privacy with an industry-leading 31dB Class A speech level reduction and one of the highest ISO 23351-1 ratings in the industry for office pods.

2 Intuitive UI

The high-resolution touchscreen simplifies the setup and adjustment of the ventilation and lighting systems within the soundproof pod, while also enabling you to schedule pod time from anywhere in the world. making comfortable ventilation and lighting easily at your fingertips.

3 Optimized Lighting

The dual adjustable 4000K LED light sources enable smooth transitions between video and work modes, while also permitting manual adjustments for personalized lighting preferences.

Ceiling Light: Ultra-thin, light-emitting range reaches 280mmX280mm, Color temperature 4000 K, CRI > 90, 1700lm, desktop illuminance up to 500lux.

Video Light: Color temperature 4000 K, CRI > 90, 1000lm, face illuminance up to 400lux. Supports preset and manual adjustment of lighting modes via touchscreen.

4 Adjustable Ventilation

The adjustable dual fan featured with damping bracket ventilation system can achieve a maximum airflow exceeding 26 l/s, surpassing the global industry standards for office space ventilation.

DEFAULT AIRFLOW preset up to 47 l/s, 100CFM (170 m³/h), and the airflow can be easily adjusted on the touchscreen. After use, the soundproof pod can ventilate itself in a preset manner.

5 Height-adjustable table equipped with a safety mechanism

A premium height-adjustable table, equipped with a safety mechanism which can ensure that when the table is tilted due to external force during the lifting process, a signal will be transmitted to the control center to stop the lifting mechanism to ensure the safety of the users.

6 Occupancy Indication

Lights on the exterior of the pod let you see from a distance whether the pod is free.

DDS/Dancoo Dawn Standard / Interior Materials

Interior Pet Panels: The interior panels are made of high-quality polyester fiber, with a blend of at least three colors that create a visually harmonious effect that blends seamlessly into any office environment.

Its fire resistance performance meets the requirements of B-s1, d0 according to the fire classification standard for building products and construction components BS EN13501-1:2018.

Carpet: The carpet surface is made of nylon filament, featuring permanent antistatic properties, stain resistance, and flame retardancy. Its PE latex backing ensures comfortable walking experience, dimensional stability, and environmental protection.

Table: The tabletop is made of HPL-finished birch plywood that meets FSC requirements, and its steel support structure is fully enclosed in PET felt, seamlessly blending with the wall.

DDS/Dancoo Dawn Standard / Exterior Material and Structure

Exterior: Powder-coated matte steel

Frames: Structural framework made of solid birch plywood that meets FSC requirements. **Glass:** Sound-control laminated glass with built-in sound-insulating interlayer film.

Doorframe And Handle: HPL-veneered birch plywood structure **Hinges And Locks:** SIMONSWERK hinges and magnetic lock

DDS/Dancoo Dawn Standard / Power and Data Transmission

Power Consumption: Default settings 28W. The highest setting 37W. Standby mode 6W.

Input: 100-240 VAC, 10 A, 50-60 Hz

Output AC (Power Outlet): 100-240VAC, 6.6A, 50-60 Hz

Output USB-C Charge Port: 45W

Power And Data Transmission: OUTLETS 1 × power outlet, 1x Type A +2 × Type C charge port (Total 45W),

1XLAN port (with cable)



DDS

Dancoo Dawn Standard



MEASUREMENTS

Exterior:

220×120×99 cm (h, w, d)

Interior:

200×100×93 cm (h, w, d)

Doorway:

200×100 cm (h, w)

Operating space:

240×120×204cm (h, w, d)

WEIGHT: