

dancoo
Quiet Simple Pods



P FAMILY

dancoo.com

P FAMILY dancoo P



dancoo P

Packaging and transportatinon

Net weight (kg)
405

Gross weight (kg)
497

UNIT/20GP
6

UNIT/40GP
12

UNIT/40HQ
24

Packaging size
2270 × 930 × 1330mm

Feature

Exterior

Powder coated steel

Glass (door & rear)

Sound control laminated glass

Frame and table

Laminate on birch plywood

Solid walls, roof and floor

A sandwich element of sheet metal, birch plywood, recycled acoustic foam and acoustic felt.

An anti-static and stain resistant low loop pile carpet for interior floor.

Weight

404.98

Measurements

Exterior (height, width, depth)
220 × 120 × 99cm

Interior (height, width, depth)
200 × 100 × 89.8cm

Door (height, width)
204.6 × 86cm

Table (width, depth, height)
65 × 30 × 16cm

Height: 64cm from floor

Electric sockets are integrated on the table

• Specifications are subject to change without notice.

Power consumption

Power consumption standard

3.24W while in use

LED light :1.8W

Fans in total: 1.44W

0.75W standby power consumption or up on request

Power consumption option

LED light: LED brightness adjustment options

Fans in total: up to14.4W

Input: 110-240VAC, 10A, 50/60Hz

Outlets

Regular sofa:

Power socket + optional LAN cable (extra cost)

Output values

Output VAC (power socket): 100–240 VAC, 8 A, 50–60 Hz

Output USB charging: USB Type A socket, Type C option, Maximum combined output 18 W

Air Ventilation

Air Ventilation Ventilation rate:

More than 1m³/ minute standard

Adjustable higher ventilation options

Acoustic performance

For speech level reduction (D_{s,a}) and Noise isolation class (NIC), third party test reports are available per request

Certificates



P FAMILY

dancoo 2P



dancoo 2P

Packaging and transportation

Net weight (kg)
671

Gross weight (kg)
774

UNIT/20GP
5

UNIT/40GP
11

UNIT/40HQ
14

Packaging size
2270 × 1020 × 1330mm
+900 × 900 × 1100mm

Feature

Exterior
Powder coated steel

Glass (door & rear)
Sound control laminated glass

Frame and table
Laminate on birch plywood

Solid walls, roof and floor
A sandwich element of sheet metal, birch plywood, recycled acoustic foam and acoustic felt.
An anti-static and stain resistant low loop pile carpet for interior floor.

Weight
670.9

Measurements

Exterior (height, width, depth)
220 × 220 × 120cm

Interior (height, width, depth)
200 × 200 × 111cm

Door (height, width)
204.6 × 86cm

Table (width, depth, height)
70 × 53 × 64cm

Power consumption

Power consumption standard

6.48W while in use
LED light :3.6W
Fans in total: 2.88W

0.75W standby power consumption or up on request

Power consumption option

LED light: LED brightness adjustment options
Fans in total: up to 28.8W
Input: 110-240VAC, 10A, 50/60Hz

Outlets

Regular sofa:

Power socket + optional LAN cable (extra cost)

Output values

Output VAC (power socket): 100–240 VAC, 8 A, 50–60 Hz

Output USB charging: USB Type A socket, Type C option,
Maximum combined output 18 W

Air Ventilation

Air Ventilation Ventilation rate:

More than 2m³/ minute standard

Adjustable higher ventilation options

Acoustic performance

For speech level reduction (D_{s,A}) and Noise isolation class (NIC),
third party test reports are available per request

Certificates



• Specifications are subject to change without notice.

dancoo.com



P FAMILY

dancoo P / 2P


Color options - Dancoo standard color



Color options - Exterior color options




Color options - Frame and table



Color options - Sofa Upholstery



Color options - Interior - PET acoustic felt



• The color number starting with F meets the requirements for the flame spread index and smoke developed index of class A Interior walls and ceilings finish category in accordance with ASTM E84-2021a

dancoo

Quiet Simple Pods

In our noisy and complex world
Quiet and simple is rare and appreciated
Quiet and simple is closer to truth

Quiet Simple Pods for Quiet Office

dancoo.com